



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

09/903,014

07/11/2001

Tadahiro Ohata

450100-03328

9048

20999 7590 02/22/2007  
FROMMER LAWRENCE & HAUG  
745 FIFTH AVENUE- 10TH FL.  
NEW YORK, NY 10151

EXAMINER

LU, SHIRLEY

ART UNIT

PAPER NUMBER

2612

SHORTENED STATUTORY PERIOD OF RESPONSE	MAIL DATE	DELIVERY MODE
--	-----------	---------------

3 MONTHS

02/22/2007

PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

## Office Action Summary

Application No.

09/903,014

Applicant(s)

OHATA ET AL.

Examiner

Shirley Lu

Art Unit

2612

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 27 November 2006.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☐ Claim(s) 1,2,7-9,12-14,23,24,28-31,34-36,45-47 and 49 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1,2,7-9,12-14,23,24,28-31,34-36,45-47 and 49 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
  - ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- |  |   |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892)   | 4) <input type="checkbox"/> Interview Summary (PTO-413)<br>Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)                       | 5) <input type="checkbox"/> Notice of Informal Patent Application                       |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)<br>Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____  |

***Claim Rejections - 35 USC § 102***

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

**1. Claim(s) 1-2, 7, 9-10, 12-13, 23-24, 28-29, 31-32, 34-35, 45-47, and 49 is/are rejected under 35 U.S.C. 102(e) as being anticipated by Riggins, III (6195090).**

As to claim 1, Riggins discloses:

A digital broadcast signal processing apparatus comprising: a memory section for storing GPS position information received from a movable body that is an object (since the GPS information is acquired/transmitted from element 41, the information was effectively stored at some point; fig. 4, [7, 25-42]);

and a multiplex processing section for multiplexing GPS position information received from the movable body and GPS position information received from an imaging apparatus on a digital broadcast signal of a corresponding program on a digital broadcast signal of a corresponding program ([11, 65] to [12, 31]; [9, 47] to [10, 11]; fig. 2-5; [2, 30] to [3, 18]; [5, 25-38]; [6, 1] to [7, 45]).

As to claim 2, Riggins discloses:

A digital broadcast signal processing apparatus comprising: a mapping processing section for mapping position information of a movable body that is an object and position information of an imaging apparatus on a map on a basis of GPS position information received from the movable body and GPS position information received from the imaging apparatus (latitude, longitudinal, and altitude; fig. 4, element 74; [7, 25-42]; telemetry data can be graphic information or video source [9, 47] to [10, 11]; fig. 4, element 74; [7, 25-42]);

and a multiplex processing section for multiplexing mapping information generated by said mapping processing section on a digital broadcast signal ([11, 65] to [12, 31]; [9, 47] to [10, 11]; fig. 2-5; [2, 30] to [3, 18]; [5, 25-38]; [6, 1] to [7, 45]).

As to claim 7, Riggins discloses:

The digital broadcast signal processing apparatus according to claim 1, wherein said multiplex processing section multiplexes profile information concerning the movable body on the digital broadcast signal ([11, 65] to [12, 31]; [9, 47] to [10, 11]; fig. 2-5; [2, 30] to [3, 18]; [5, 25-38]; [6, 1] to [7, 45]).

As to claim 9, Riggins discloses:

A digital broadcast signal processing apparatus comprising: a mapping processing section for separating GPS position information of a movable body that is an object and GPS position information of an imaging apparatus from a digital broadcast signal that was received or reproduced to map position information of the movable body and the imaging apparatus on a map on a basis of the GPS position information of the movable

Art Unit: 2612

body and GPS position information of the imaging apparatus (the data is separated as shown in elements 17 and 20 [5, 56] to [6, 12]; [4, 41] to [5, 37]; fig. 2; [5,57] to [6,13]; latitude, longitudinal, and altitude; fig. 4, element 74; [7, 25-42]); and

a multiplex processing section for multiplexing mapping information generated in said mapping processing section on a digital broadcast signal of a corresponding program (telemetry information is multiplexed through element 60; fig. 3; [6, 12] to [7, 25]; ([11, 65] to [12, 31]; [9, 47] to [10, 11]; fig. 2-5; [2, 30] to [3, 18]; [5, 25-38]; [6, 1] to [7, 45]).

As to claim 12, Riggins discloses:

A digital broadcast signal processing apparatus comprising: a memory section for storing profile information concerning a movable body that is an object (since the GPS information is acquired/transmitted from element 41, the information was effectively stored at some point; fig. 4, [7, 25-42]);

and a multiplex processing section for multiplexing the profile information and position information of an imaging apparatus that was received or reproduced on the digital broadcast signal ([11, 65] to [12, 31]; [9, 47] to [10, 11]; fig. 2-5; [2, 30] to [3, 18]; [5, 25-38]; [6, 1] to [7, 45]).

As to claim 13, Riggins discloses:

any of the position information of the movable body that is the object, mapping information generated by mapping of the position information of the movable body that is the object and/or position information of an imaging apparatus on a map, imaging

Art Unit: 2612

area information by the imaging apparatus and object information by the imaging apparatus is multiplexed on the digital broadcast signal ([11, 65] to [12, 31]; [9, 47] to [10, 11]; fig. 2-5; [2, 30] to [3, 18]; [5, 25-38]; [6, 1] to [7, 45]).

As to claim 23, Riggins discloses:

A digital broadcast signal processing method comprising the steps of: reading out GPS position information received from a movable body that is an object (device 41; fig. 4, [7, 25-42]);

Reading out GPS position information received from an imaging apparatus; and multiplexing GPS position information received from the movable body and GPS position information received from the imaging apparatus on a digital broadcast signal of a corresponding program ([11, 65] to [12, 31]; [9, 47] to [10, 11]; fig. 2-5; [2, 30] to [3, 18]; [5, 25-38]; [6, 1] to [7, 45]).

As to claim 24, Riggins discloses:

A digital broadcast signal processing method comprising the steps of: mapping position information of a movable body that is an object and position information of an imaging apparatus on a map on a basis of GPS position information received from the movable body and GPS position information received from the imaging apparatus (latitude, longitudinal, and altitude; fig. 4, element 74; [7, 25-42]; telemetry data can be graphic information or video source [9, 47] to [10, 11]; fig. 4, element 74; [7, 25-42]); and

multiplexing mapping information generated in said mapping step on a digital broadcast signal ([11, 65] to [12, 31]; [9, 47] to [10, 11]; fig. 2-5; [2, 30] to [3, 18]; [5, 25-38]; [6, 1] to [7, 45]).

As to claim 28, Riggins discloses:

A digital broadcast signal processing method comprising the steps of: reading out GPS position information received from a movable body that is an object (device 41; fig. 4, [7, 25-42]);

reading out imaging area information by an imaging apparatus (device 41; fig. 4, [7, 25-42]);

reading out GPS position information received from an imaging apparatus; and

multiplexing GPS position information received from the movable body, GPS position information received from the imaging apparatus and the imaging area information on a digital broadcast signal of a corresponding program ([11, 65] to [12, 31]; [9, 47] to [10, 11]; fig. 2-5; [2, 30] to [3, 18]; [5, 25-38]; [6, 1] to [7, 45]).

As to claim 29, Riggins discloses:

said method further comprising a step of: multiplexing profile information concerning the movable body on the digital broadcast signal ([11, 65] to [12, 31]; [9, 47] to [10, 11]; fig. 2-5; [2, 30] to [3, 18]; [5, 25-38]; [6, 1] to [7, 45]).

As to claim 31, Riggins discloses:

Art Unit: 2612

A digital broadcast signal processing method comprising the steps of: separating GPS position information of a movable body that is an object and GPS position information of an imaging apparatus from a digital broadcast signal that was received or reproduced to map position information of the movable body and the imaging apparatus on a map on a basis of the GPS position information of the movable body and GPS position information of the imaging apparatus (the data is separated as shown in elements 17 and 20 [5, 56] to [6, 12]; [4, 41] to [5, 37]; fig. 2; [5,57] to [6,13]; latitude, longitudinal, and altitude; fig. 4, element 74; [7, 25-42]);

and multiplexing mapping information generated in said step on a digital broadcast signal of a corresponding program (telemetry information is multiplexed through element 60; fig. 3; [6, 12] to [7, 25]; ([11, 65] to [12, 31]; [9, 47] to [10, 11]; fig. 2-5; [2, 30] to [3, 18]; [5, 25-38]; [6, 1] to [7, 45]).

As to claim 34, Riggins discloses:

A digital broadcast signal processing method comprising the steps of: reading out profile information concerning a movable body that is an object (device 41; fig. 4, [7, 25-42]);

Reading out GPS position information of an imaging apparatus; and

and multiplexing the profile information concerning the movable body and the GPS position information on a digital broadcast signal ([11, 65] to [12, 31]; [9, 47] to [10, 11]; fig. 2-5; [2, 30] to [3, 18]; [5, 25-38]; [6, 1] to [7, 45]).



As to claim 35, Riggins discloses:

position information of the movable body that is the object, mapping information generated by mapping of the position information of the movable body that is the object and/or position information of an imaging apparatus on a map, imaging area information by the imaging apparatus and object information by the imaging apparatus is multiplexed on the digital broadcast signal ([11, 65] to [12, 31]; [9, 47] to [10, 11]; fig. 2-5; [2, 30] to [3, 18]; [5, 25-38]; [6, 1] to [7, 45]).

As to claim 45, Riggins discloses:

A digital broadcast signal processing method comprising the processes of: multiplexing GPS position information received from a movable body that is an object and GPS position information received from an imaging apparatus on a picture signal (fig. 4, element 74; [7, 25-42]);

and transmitting the signal after the multiplexing process as a digital broadcast signal (multiplexed data is output to element 77; [7, 25-42]).

As to claim 46, Riggins discloses:

A digital broadcast signal processing method comprising the processes of: multiplexing GPS position information of a movable body that is an object, GPS position information of an imaging apparatus and imaging area information by the imaging apparatus on a picture signal (fig. 4, element 74; [7, 25-42]);

and transmitting the picture signal after the multiplexing process as a digital broadcast signal (multiplexed data is output to element 77; [7, 25-42]).

As to claim 47, Riggins discloses:

A digital broadcast signal processing method comprising the processes of: multiplexing mapping information generated by mapping position information of a movable body that is an object and position information of an imaging apparatus on a map on a picture signal (fig. 4, element 74; [7, 25-42]);

and transmitting the picture signal after the multiplexing process as a digital broadcast signal (multiplexed data is output to element 77; [7, 25-42]).

As to claim 49, Riggins discloses:

A digital broadcast signal processing method comprising the processes of: multiplexing profile information concerning a movable body that is an object and GPS position information of an imaging apparatus on a picture signal (fig. 4, element 74; [7, 25-42]);

and transmitting the picture signal after the multiplexing process as a digital broadcast signal (multiplexed data is output to element 77; [7, 25-42]).

### **Claim Rejections - 35 U.S.C. § 103**

The following is a quotation of 35 U.S.C. § 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the

Art Unit: 2612

subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

**2. Claim(s) 8, 14, 30, and 36 is/are rejected under 35 U.S.C. § 103(a) as being unpatentable over Riggins III (6195090) in view of Yuen (20050198668).**

As to claim 8,

Riggins III does not specifically disclose said profile information includes uniform resource locator (URL) information or mail address information, both being for access to information concerning the movable body. Yuen discloses said profile information includes uniform resource locator (URL) information or mail address information, both being for access to information concerning the movable body ([0051]). Accordingly, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Riggins III with Yuen so as to 'provide additional information about the data provided on the display' (Yuen [0051]).

As to claim 14,

Riggins III does not specifically disclose said profile information includes uniform resource locator (URL) information or mail address information for access to information concerning the movable body. Yuen discloses said profile information includes uniform resource locator (URL) information or mail address information for access to information concerning the movable body ([0051]). Accordingly, it would have been obvious to one

Art Unit: 2612

of ordinary skill in the art at the time the invention was made to modify Riggins III with Yuen so as to 'provide additional information about the data provided on the display' (Yuen [0051]).

As to claim 30,

Riggins III does not specifically disclose said profile information includes uniform resource locator (URL) information or mail address information, both being for access to information concerning the movable body. Yuen discloses said profile information includes uniform resource locator (URL) information or mail address information, both being for access to information concerning the movable body ([0051]). Accordingly, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Riggins III with Yuen so as to 'provide additional information about the data provided on the display' (Yuen [0051]).

As to claim 36,

Riggins III does not specifically disclose said profile information includes uniform resource locator (URL) information or mail address information for access to information concerning the movable body. Yuen discloses said profile information includes uniform resource locator (URL) information or mail address information for access to information concerning the movable body ([0051]). Accordingly, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Riggins III with Yuen so as to 'provide additional information about the data provided on the display' (Yuen [0051]).

Art Unit: 2612


### Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Shirley Lu whose telephone number is (571) 272-8546. The examiner can normally be reached on 8:30-5:00 M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jeff Hofsass can be reached on (571) 272-2981. The fax phone number for the organization where this application or proceeding is assigned is (571) 273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

SL

  
JEFFERY HOFSSASS  
SUPERVISORY PATENT EXAMINER  
TECHNOLOGY CENTER 2600